

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|----------|------------------|---------|------------------|
| L1 | 2 | ((programmable) with (map\$4 assign\$4 allocat\$4 crossbar matrix) with (DMA) with (request\$4 command input) with (channel grant\$4 output)).clm. | US-PGPUB | OR | ON | 2007/02/12 11:15 |
| L2 | 4 | ((DMA (direct adj3 memory adj3 access)) with (crossbar)).clm. | US-PGPUB | OR | ON | 2007/02/12 11:16 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| L6 | 876 | (request\$4 command) with (map\$4 assign\$4) with (grant acknowledge\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 09:02 |
| L7 | 58836 | (dma (direct near3 memory near3 access))(request\$4 command) with (map\$4 assign\$4) with (grant acknowledge\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 09:02 |
| L8 | 33 | (dma (direct near3 memory near3 access)) with (request\$4 command) with (map\$4 assign\$4) with (grant acknowledge\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 09:46 |
| L9 | 420 | (dma (direct near3 memory near3 access)) near3 (crossbar array) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 09:48 |
| L10 | 19 | (dma (direct near3 memory near3 access)) near3 (crossbar array) near3 (switch) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 09:46 |
| L11 | 386 | 9 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 09:48 |
| L12 | 11 | (dma (direct near3 memory near3 access)) near3 (crossbar array) with (priority) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 09:48 |
| L13 | 11 | (dma (direct near3 memory near3 access)) near3 (crossbar array) with (priorit\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 09:49 |
| L14 | 35 | (dma (direct near3 memory near3 access)) near3 (crossbar array) with (channel) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 10:27 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| L15 | 2 | "20020188771".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 10:11 |
| L16 | 9 | (dma (direct near3 memory near3 access)) and hayden.inv. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 10:27 |
| S1 | 2781 | 710/22-28,36,40.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 10:11 |
| S2 | 138 | S1 and (DMA with (channel) with (priorit\$7)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/07 13:21 |
| S3 | 133 | S2 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/12 09:48 |
| S4 | 164 | (map\$4 assign\$4) with (DMA) with (request\$4 command) with (channel grant\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 14:46 |
| S5 | 2834 | 710/22-28,36,40.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/25 17:07 |
| S6 | 140 | S5 and (DMA with (channel) with (priorit\$7)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/25 17:31 |
| S7 | 134 | S6 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/25 17:07 |
| S8 | 32 | S4 and S7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/25 17:07 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S9 | 2 | (DMA with (programmable) with mapping with (channel) with (priorit\$7)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/25 17:32 |
| S10 | 33 | (DMA with (programmable) with (channel) with (priorit\$7)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/25 17:32 |
| S11 | 17 | (US-20050188122-\$ or US-20050188119-\$ or US-20060010264-\$ or US-20050165980-\$ or US-20050080942-\$).did. or (US-4901234-\$ or US-6941406-\$ or US-6167465-\$ or US-6735639-\$ or US-5317715-\$ or US-6701405-\$ or US-5826106-\$ or US-6687796-\$ or US-5944800-\$ or US-5809335-\$ or US-5948080-\$ or US-5655151-\$).did. | US-PGPUB; USPAT | OR | ON | 2006/08/26 11:59 |
| S12 | 4 | S11 and crossbar | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:09 |
| S13 | 38 | ((DMA near3 (controller engine)) or DMAC) with crossbar | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:14 |
| S14 | 37 | S13 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:22 |
| S15 | 667 | ((DMA near3 (controller engine)) or DMAC) with (switch router) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:15 |
| S16 | 37 | S14 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:16 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S17 | 617 | S15 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:15 |
| S18 | 37 | ((DMA near3 (controller engine)) or DMAC) with (switch router) with (input and output) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:21 |
| S19 | 32 | S18 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:23 |
| S20 | 1532 | DMA with (switch router crossbar) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:22 |
| S21 | 750 | DMA near5 (switch router crossbar) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:23 |
| S22 | 691 | S21 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:22 |
| S23 | 53 | DMA with (has compris\$4) with (switch router crossbar) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:22 |
| S24 | 476 | DMA adj5 (switch router crossbar) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:37 |
| S25 | 443 | S24 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:37 |
| S26 | 22 | DMA adj5 (crossbar) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:37 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S27 | 22 | S26 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:37 |
| S28 | 0 | (data near3 transfer) with (register) with (crossbar) with (programmable) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:49 |
| S29 | 26 | (data near3 transfer) with (register) with (crossbar) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/26 12:49 |
| S30 | 0 | (DMA with (transfer near3 controller) with ((source and destination) near3 adresss)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 10:09 |
| S31 | 46249 | (DMA (channel near3 controller) with ((source and destination) near3 adresss)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 10:09 |
| S32 | 0 | (DMA with (channel near3 controller) with ((source and destination) near3 adresss)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 10:10 |
| S33 | 0 | (channel near3 controller) with ((source and destination) near3 adresss) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 10:10 |
| S34 | 14 | DMA with (channel near3 controller) with (source and destination) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 10:12 |
| S35 | 74 | DMA with (channel near3 controller) same (source and destination) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:03 |
| S36 | 67 | S35 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 11:09 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S37 | 14 | DMA with (channel near3 controller) with (source and destination) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:00 |
| S38 | 1260 | DMA with (channel near3 controller) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:01 |
| S39 | 1139 | DMA near5 (channel near3 controller) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:01 |
| S40 | 594 | DMA near5 (channel near3 control) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:02 |
| S41 | 6 | DMA with (channel near3 control near3 logic) same (source and destination) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:04 |
| S42 | 89 | (DMA (direct adj3 memory adj3 access)) with (crossbar) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:26 |
| S43 | 87 | S42 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:14 |
| S44 | 1813 | (DMA (direct adj3 memory adj3 access)) with (switch matrix) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:26 |
| S45 | 10 | (DMA (direct adj3 memory adj3 access)) with (switch near3 matrix) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:27 |
| S46 | 1525 | (DMA (direct adj3 memory adj3 access)) with (switch) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:27 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S47 | 447 | ((DMA (direct adj3 memory adj3 access)) near3 controller) with (switch) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:28 |
| S48 | 145 | ((DMA (direct adj3 memory adj3 access)) near3 controller) near4 (switch) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 13:28 |
| S49 | 131 | S48 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:35 |
| S50 | 43 | (DMA with (first and second) near3 (priorit\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 15:47 |
| S51 | 31 | (US-20060010264-\$ or US-20050188122-\$ or US-20050188119-\$ or US-20050165980-\$ or US-20050080942-\$ or US-20040215868-\$ or US-20050223269-\$ or US-20050190799-\$ or US-20050147105-\$ or US-20050091432-\$ or US-20030172326-\$ or US-20020009094-\$ or US-20040216018-\$ or US-20030217232-\$).did. or (US-6941406-\$ or US-6167465-\$ or US-6735639-\$ or US-6701405-\$ or US-6687796-\$ or US-5655151-\$ or US-5948080-\$ or US-5944800-\$ or US-5826106-\$ or US-5809335-\$ or US-5317715-\$ or US-4901234-\$ or US-7058750-\$ or US-5721828-\$ or US-6023735-\$ or US-5048022-\$ or US-6615291-\$).did. | US-PGPUB; USPAT | OR | ON | 2006/08/28 16:34 |
| S52 | 8 | S51 and crossbar | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/28 16:37 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S53 | 1 | haydon.inv. and DMA | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/29 08:37 |
| S54 | 8 | hayden.inv. and DMA | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/29 08:59 |
| S55 | 72 | (chang\$4 updat\$4 increas\$4 descreas\$4 modify\$4) near3 (priority) with (busy unavailab\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/29 09:10 |
| S56 | 2 | S55 and DMA | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/29 09:00 |
| S57 | 7 | (programmable with DMA with descriptor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/29 09:10 |
| S58 | 60 | descriptor near3 (structure format) with (variable programmable) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/29 12:23 |
| S59 | 56 | S58 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/29 12:26 |
| S60 | 9 | S59 and DMA | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/08/29 12:26 |
| S61 | 490 | (map\$4 assign\$4 allocat\$4 crossbar matrix) with (DMA) with (request\$4 command input) with (channel grant\$4 output) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 14:59 |
| S62 | 35 | (programmable) with (map\$4 assign\$4 allocat\$4 crossbar matrix) with (DMA) with (request\$4 command input) with (channel grant\$4 output) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 14:48 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S63 | 455 | S61 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 14:49 |
| S64 | 33 | S62 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 15:30 |
| S65 | 58 | (table switch matrix crossbar arbiter) with (map\$4 assign\$4 allocat\$4) with (DMA) with (request\$4 command input) with (channel grant\$4 output) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 15:00 |
| S66 | 55 | S65 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 17:14 |
| S67 | 6465 | (dma with (request input command) with (channel output grant)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 15:29 |
| S68 | 676 | (dma with (request input command) with (channel output grant) with (table switch matrix crossbar arbiter)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 15:30 |
| S69 | 91 | (dma with (correspond\$4 map\$4 relat\$4 assign\$4 allocat\$4 determin\$4) with (request input command) with (channel output grant) with (table switch matrix crossbar arbiter)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 15:30 |
| S70 | 83 | S69 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 15:30 |
| S71 | 61 | (assign\$4 with (dma near3 request\$4) with (channel)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 17:48 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S72 | 24 | (map\$4 with (dma near3 request\$4) with (channel)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 17:13 |
| S73 | 19 | S72 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 17:53 |
| S74 | 7 | ((program\$5 dynamic\$4) with assign\$4 with (dma near3 request\$4) with (channel)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 17:49 |
| S75 | 0 | ((program\$5 dynamic\$4) with allocat\$4 with (dma near3 request\$4) with (channel)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 17:49 |
| S76 | 11 | ((program\$5 dynamic\$4) with map\$4 with (dma near3 request\$4) with (channel)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 17:53 |
| S77 | 99 | (determin\$4 with (dma near3 request\$4) with (channel)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 17:53 |
| S78 | 87 | S77 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/25 17:53 |
| S79 | 2 | "20050188120".did. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/26 10:24 |
| S80 | 162 | (priorit\$4 with (dma near3 (request command)) with (channel output)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/26 13:29 |
| S81 | 155 | S80 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/26 13:30 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S82 | 93 | ((assign\$4 map\$4) with (dma near3 (request command)) with (channel output)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/26 14:33 |
| S83 | 81 | S82 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/26 14:34 |
| S84 | 31 | ((programmable) with (dma near3 (request command)) with (channel output)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/26 14:33 |
| S85 | 26 | S84 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/01/26 14:34 |
| S86 | 570 | (programmable dynamic) with (dma (direct near3 memory near3 access)) with (channel datapath) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/09 13:39 |
| S87 | 174 | (programmable dynamic) with (dma (direct near3 memory near3 access)) with (channel datapath) with (priority arbitrat\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/09 13:39 |
| S88 | 151 | S87 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/09 14:21 |
| S89 | 77 | (priority near3 crossbar) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/09 14:32 |
| S90 | 67 | S89 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/09 14:32 |
| S91 | 3 | (priority near3 crossbar) with dma | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/09 14:32 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S92 | 91 | crossbar with dma | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/09 14:32 |
| S93 | 67 | S90 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/09 14:33 |
| S94 | 88 | S92 and (@ad<="20040225" or @rlad<="20040525") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/02/09 14:33 |